


WSPORNIK BELKI

WSPORNIK BELKI



Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				A	B	D	≠		
0300300	40-99	5,85	szt	40	99	72	2,0	50	0,25
0310301	40-110	6,31	szt	40	110	72	2,0	50	0,27
0320300	40-140	7,42	szt	40	140	80	2,0	50	0,38
0300600	45-96	5,26	szt	45	96	72	2,0	50	0,25
0310600	45-105	5,54	szt	45	105	72	2,0	50	0,27
0320400	45-137	7,34	szt	45	137	80	2,0	50	0,38
0330100	45-167	8,36	szt	45	167	80	2,0	40	0,17
0300701	48-95	6,20	szt	48	95	72	2,0	50	0,25
0300900	51-93	5,85	szt	51	93	72	2,0	50	0,25
0310901	51-105	5,54	szt	51	105	72	2,0	50	0,27
0320600	51-135	7,58	szt	51	135	80	2,0	50	0,38
0330300	51-164	9,36	szt	51	164	80	2,0	40	0,43
0340300	51-195	10,40	szt	51	195	87	2,0	25	0,58
0311200	60-100	5,65	szt	60	100	72	2,0	50	0,27
0320900	60-130	7,19	szt	60	130	80	2,0	50	0,38
0330600	60-160	8,91	szt	60	160	80	2,0	40	0,43
0340600	60-190	10,84	szt	60	190	87	2,0	25	0,58
0350300	60-220	11,74	szt	60	220	85	2,0	25	0,65
0311500	64-98	6,00	szt	64	98	72	2,0	50	0,27
0321200	64-128	7,32	szt	64	128	80	2,0	50	0,38
0321500	70-125	7,55	szt	70	125	80	2,0	50	0,38
0330700	70-155	9,82	szt	70	155	100	2,0	40	0,43
0321601	73-124	7,91	szt	73	124	80	2,0	50	0,38
0330801	73-153	9,36	szt	73	153	80	2,0	40	0,43
0340800	73-183	11,95	szt	73	183	87	2,0	25	0,58
0321800	76-120	7,62	szt	76	120	80	2,0	50	0,38
0330900	76-152	9,44	szt	76	152	80	2,0	40	0,43
0340900	76-182	10,71	szt	76	182	87	2,0	25	0,58
0322101	80-120	6,63	szt	80	120	80	2,0	50	0,38
0331200	80-150	8,73	szt	80	150	80	2,0	40	0,43
0341200	80-180	10,40	szt	80	180	87	2,0	25	0,58
0350600	80-210	12,14	szt	80	210	85	2,0	25	0,65
0331500	90-145	9,36	szt	90	145	80	2,0	40	0,43
0331701	98-141	9,05	szt	98	141	80	2,0	40	0,43
0322400	100-90	7,08	szt	100	90	80	2,0	50	0,34
0331801	100-140	8,46	szt	100	140	80	2,0	40	0,43
0341500	100-170	10,40	szt	100	170	87	2,0	25	0,58
0350900	100-200	11,93	szt	100	200	85	2,0	25	0,65
0341800	115-162	11,35	szt	115	162	87	2,0	25	0,58
0351200	115-190	12,61	szt	115	190	85	2,0	25	0,65
0342100	120-160	9,87	szt	120	160	87	2,0	25	0,58
0351500	120-190	11,73	szt	120	190	85	2,0	25	0,65
0361200	120-119	9,36	szt	120	119	85	2,0	25	0,47
0332100	127-126	24,15	szt	127	126	80	2,0	40	0,42
0351800	127-186	14,46	szt	127	186	85	2,0	25	0,65
0371400	140-139	11,71	szt	140	139	85	2,0	25	0,54
0352100	140-180	12,27	szt	140	180	85	2,0	25	0,65
0342400	150-145	24,28	szt	150	145	87	2,0	25	0,55

WSPORNIK BELKI SBE



Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				A	B	D	≠		
0901001	40-95	5,00	szt	40	95	55	1,5	70	0,17
0911001	40-110	5,66	szt	40	110	55	1,5	70	0,20
0921001	40-140	6,38	szt	40	140	55	1,5	50	0,24
0901301	45-93	5,00	szt	45	93	55	1,5	70	0,17
0911301	45-108	5,66	szt	45	108	55	1,5	70	0,20
0921301	45-138	6,36	szt	45	138	55	1,5	50	0,24
0931301	45-168	7,50	szt	45	168	55	1,5	30	0,29
0901601	48-91	5,00	szt	48	91	55	1,5	70	0,17
0921601	48-136	6,46	szt	48	136	55	1,5	50	0,24
0901901	51-90	4,86	szt	51	90	55	1,5	70	0,17
0911901	51-105	4,90	szt	51	105	55	1,5	70	0,20
0921901	51-135	6,37	szt	51	135	55	1,5	50	0,24
0931901	51-165	7,50	szt	51	165	55	1,5	30	0,29
0912201	60-100	4,90	szt	60	100	55	1,5	70	0,20
0922201	60-130	6,20	szt	60	130	55	1,5	50	0,24
0932201	60-160	7,50	szt	60	160	55	1,5	30	0,29
0922501	64-128	6,36	szt	64	128	55	1,5	50	0,24
0922801	70-125	6,45	szt	70	125	55	1,5	50	0,24
0932801	70-155	7,50	szt	70	155	55	1,5	30	0,29
0923401	76-122	6,36	szt	76	122	55	1,5	50	0,24
0933401	76-152	7,50	szt	76	152	55	1,5	30	0,29
0923701	80-120	5,10	szt	80	120	55	1,5	50	0,24
0933701	80-150	6,80	szt	80	150	55	1,5	30	0,29
0934001	90-145	7,50	szt	90	145	55	1,5	30	0,29
0934601	100-140	6,90	szt	100	140	55	1,5	30	0,29

WSPORNIK BELKI DZIELONY



Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				A	B	D	≠		
SDED300/30	30-118 lewy	5,95	szt	30	118	84	2,0	50	0,18
SDED340/30	30-138 lewy	5,70	szt	30	138	84	2,0	50	0,20
SDED380/30	30-158 lewy	7,85	szt	30	158	84	2,0	50	0,26
SDED440/30	30-188 lewy	7,99	szt	30	188	84	2,0	50	0,29
SDEG300/30	30-118 prawy	5,95	szt	30	118	84	2,0	50	0,18
SDEG340/30	30-138 prawy	5,70	szt	30	138	84	2,0	50	0,20
SDEG380/30	30-158 prawy	7,85	szt	30	158	84	2,0	50	0,26
SDEG440/30	30-188 prawy	7,99	szt	30	188	84	2,0	50	0,29

WSPORNIK BELKI typ I



Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				A	B	D	≠		
0410300	40-110	6,71	szt	40	110	38	2,0	50	0,25
0400600	45-96	6,59	szt	45	96	38	2,0	50	0,20
0400301	48-95	7,24	szt	48	95	38	2,0	50	0,20
0420501	48-136	9,02	szt	48	136	43	2,0	50	0,32
0430201	48-166	10,52	szt	48	166	42	2,0	40	0,37
0400900	51-93	6,59	szt	51	93	38	2,0	50	0,20
0410900	51-105	6,71	szt	51	105	38	2,0	50	0,25
0411200	60-100	6,18	szt	60	100	38	2,0	50	0,26
0430600	60-160	9,67	szt	60	160	42	2,0	40	0,39
0411500	64-98	6,18	szt	64	98	38	2,0	50	0,26
0421200	64-128	8,23	szt	64	128	43	2,0	50	0,34
0421500	70-125	7,62	szt	70	125	43	2,0	50	0,34
0421601	73-124	8,48	szt	73	124	43	2,0	50	0,34
0430800	73-153	9,58	szt	73	153	42	2,0	40	0,39
0421800	76-120	7,94	szt	76	120	43	2,0	50	0,38
0422100	80-120	8,42	szt	80	120	43	2,0	50	0,38

WSPORNIK BELKI typ I



0431200	80-150	9,39	szt	80	150	42	2,0	40	0,43
0441200	80-180	10,80	szt	80	180	47	2,0	25	0,58
0450600	80-210	12,53	szt	80	210	48	2,0	25	0,65
0431500	90-145	9,61	szt	90	145	42	2,0	40	0,43
0431701	98-141	9,83	szt	98	141	42	2,0	40	0,43
0422400	100-90	7,99	szt	100	90	42	2,0	50	0,34
0431800	100-140	9,61	szt	100	140	42	2,0	40	0,43
0441500	100-170	10,56	szt	100	170	47	2,0	25	0,58
0450900	100-200	12,23	szt	100	200	48	2,0	25	0,65
0441800	115-162	11,78	szt	115	162	47	2,0	25	0,58
0451200	115-190	12,34	szt	115	190	48	2,0	25	0,65
0442100	120-160	12,15	szt	120	160	47	2,0	25	0,58
0451500	120-190	11,65	szt	120	190	48	2,0	25	0,65
0461200	120-119	9,61	szt	120	119	48	2,0	25	0,47
0452100	140-180	12,31	szt	140	180	48	2,0	25	0,65
0471400	140-139	10,95	szt	140	139	48	2,0	25	0,54

WSPORNIK BELKI typ S



Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				A	B	D	≠		
0505000	60-90	25,76	szt	60	90	47,5	2,0	25	0,30
0507000	60-110	25,93	szt	60	110	47,5	2,0	25	0,36
0510000	80-110	24,98	szt	80	110	47,5	2,0	25	0,37
0518000	80-130	27,26	szt	80	130	47,5	2,0	25	0,44
0524000	100-130	21,18	szt	100	130	47,5	2,0	25	0,45
0528000	80-150	25,21	szt	80	150	47,5	2,0	25	0,52
0533000	100-150	22,64	szt	100	150	47,5	2,0	25	0,50
0538000	100-170	22,70	szt	100	170	47,5	2,0	25	0,59
0538500	100-190	23,42	szt	100	190	47,5	2,0	25	0,65
0539000	140-150	27,83	szt	140	150	47,5	2,0	25	0,59
0543000	120-170	23,20	szt	120	170	47,5	2,0	25	0,59
0553000	120-190	24,53	szt	120	190	47,5	2,0	25	0,64
0557000	120-210	23,66	szt	120	210	47,5	2,0	25	0,71
0559000	160-190	28,72	szt	160	190	47,5	2,0	25	0,68
0563000	120-230	27,08	szt	120	230	47,5	2,0	25	0,78

WSPORNIK BELKI spec. wykonanie



Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				A	B	D	≠		
BSD 160/160	160-160	24,44	szt	160	160	62,5	2,0	25	0,81
BSD 160/200	160-200	26,44	szt	160	200	62,5	2,0	20	0,91
BSD 180/220	180-220	32,62	szt	180	220	62,5	2,0	20	1,00
BSD 200/200	200-200	30,36	szt	200	200	62,5	2,0	20	1,04
BSD 200/240	200-240	37,43	szt	200	240	62,5	2,0	20	1,18

WSPORNIK BELKI TYP I spec. wykonanie



Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				A	B	D	≠		
BSDI 160/160	160-160 I	28,64	szt	160	160	62,5	2,5	25	0,81
BSDI 160/200	160-200 I	29,72	szt	160	200	62,5	2,5	20	0,91
BSDI 200/240	200-240 I	45,21	szt	200	240	62,5	2,5	20	1,18


WSPORNIK BELKI typ IL



Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				A	B	D	≠		
0620000	90-195 IL	25,93	szt	90	195	62	2,0	25	0,64
0620200	90-235 IL	26,24	szt	90	235	62	2,0	25	0,77
0620400	115-223 IL	27,81	szt	115	223	62	2,0	25	0,76
0620601	100-190 IL	26,72	szt	100	190	62	2,0	25	0,64
0620801	120-180 IL	29,04	szt	120	180	62	2,0	25	0,64
0621001	100-230 IL	29,57	szt	100	230	62	2,0	25	0,77
0621201	120-220 IL	31,90	szt	120	220	62	2,0	25	0,77


WSPORNIK BELKI MIT / ITT

≠1,6



Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				A	B	C	F		
MIT9.5	MIT9.5	14,70	szt	46	241	64	59	25	0,48
MIT11.88	MIT11.88	15,10	szt	46	300	64	59	50	0,31
MIT3511.88	MIT3511.88	16,28	szt	60	300	64	59	25	0,60
MIT3511.88-2	MIT3511.88-2	18,48	szt	121	302	64	59	10	0,80
MIT3514	MIT3514	17,52	szt	60	355	64	59	25	0,72
MIT49.5	MIT49.5	20,44	szt	90	241	64	59	25	0,52
MIT411.88	MIT411.88	21,65	szt	90	302	64	59	25	0,64
MIT414	MIT414	22,55	szt	90	355	64	59	25	0,68
ITT29.5	ITT29.5	9,61	szt	40	240	51	35	50	0,32
ITT9.5	ITT9.5	7,98	szt	45	240	51	35	50	0,30
ITT11.88	ITT11.88	13,03	szt	46	300	51	35	50	0,36
ITT359.5	ITT359.5	14,33	szt	60	240	51	35	40	-
ITT3511.88	ITT3511.88	15,29	szt	60	300	51	35	40	-
ITT3514	ITT3514	16,11	szt	60	354	51	35	40	-
ITT49.5	ITT49.5	18,28	szt	90	241	51	35	25	-
ITT411.88	ITT411.88	19,59	szt	90	302	51	35	25	-
ITT414	ITT414	20,35	szt	90	354	51	35	25	-

WSPORNIK BELKI IUT




Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				A	B	C	≠		
IUT9	IUT9	13,03	szt	46	233	51	1,2	50	0,28
IUT11	IUT11	16,70	szt	46	284	51	1,2	50	0,32
IUT3510	IUT3510	13,81	szt	60	235	51	1,2	50	0,28
IUT3512	IUT3512	15,55	szt	60	285	51	1,2	50	0,34
IUT3514	IUT3514	18,75	szt	60	356	51	1,2	50	0,40
IUT410	IUT410	14,21	szt	90	235	51	1,2	50	0,28
IUT412	IUT412	15,56	szt	90	285	51	1,2	50	0,34
IUT414	IUT414	19,64	szt	90	356	51	1,2	50	0,40

WSPORNIK BELKI LBV

≠2,0


Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				A	B	C	F		
LBV200/45	LBV200/45	40,97	szt	45	200	57	64	15	0,87
LBV200/60	LBV200/60	42,19	szt	60	200	57	64	25	0,64
LBV200/90	LBV200/90	45,15	szt	90	200	57	64	15	0,67

WSPORNIK BELKI LSSU-LSSUI




Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				A	B	C	≠		
LSSU210	LSSU210	10,28	szt	38		216	1,2	25	0,28
LSSUI25	LSSUI25	10,83	szt	45		216	1,2	25	0,36
LSSUI35	LSSUI35	13,09	szt	60		216	1,6	25	0,40
LSSU410	LSSU410	14,95	szt	90		216	1,6	25	0,66

WSPORNIK BELKI JHMI




Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				H	W		≠		
JHMI200/45	JHMI200/45	18,93	szt	200	45		2,0	20	-
JHMI240/47	JHMI240/47	19,48	szt	240	47		2,0	20	-
JHMI300/47	JHMI300/47	22,83	szt	300	47		2,0	20	-
JHMI200/61	JHMI200/61	20,16	szt	200	61		2,0	20	-
JHMI240/60	JHMI240/60	20,74	szt	240	60		2,0	20	-
JHMI300/60	JHMI300/60	24,80	szt	300	60		2,0	20	-
JHMI200/90	JHMI200/90	23,00	szt	200	90		2,0	20	-
JHMI240/90	JHMI240/90	24,01	szt	240	90		2,0	20	-
JHMI300/91	JHMI300/91	27,23	szt	300	91		2,0	20	-

WSPORNIK BELKI TU/S




Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				C	B	A	≠		
3431230	TU/S 12	19,67	szt	40	96	101	3,5	50	0,26
3431630	TU/S 16	26,07	szt	60	134	108	3,5	50	0,39
3432030	TU/S 20	30,92	szt	60	174	108	3,5	25	0,53
3432430	TU/S 24	34,69	szt	60	214	108	3,5	25	0,66
3432830	TU/S 28	39,03	szt	60	254	108	3,5	20	0,80

WSPORNIK BELKI ET



Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				A	B	C	D		
3470900	ET 90	61,76	szt	90	60	58	69	25	0,10
3471200	ET 120	71,81	szt	121	60	85	95	25	0,14
3471600	ET 160	86,45	szt	166	60	95	130	25	0,19
3471900	ET 190	118,72	szt	195	75	138	165	25	0,27
3472300	ET 230	139,60	szt	230	75	138	200	25	0,34

WSPORNIK BELKI 2 rzędy otworów



Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				C	B	A	≠		
3409000	90	13,93	szt	46	106	90	6,5	25	0,52
3412000	120	17,96	szt	46	106	120	6,5	25	0,67
3416000	160	22,19	szt	46	106	160	6,5	25	0,90
3420000	200	26,33	szt	46	106	200	6,5	15	1,12
3424000	240	31,55	szt	46	106	240	6,5	15	1,35

WSPORNIK BELKI 4 rzędy otworów




Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				C	A	B	≠		
3440900	90	18,10	szt	62	90	106	6,5	25	0,54
3441200	120	20,27	szt	62	120	106	6,5	25	0,72
3441600	160	25,57	szt	62	160	106	6,5	25	0,95
3442000	200	30,09	szt	62	200	106	6,5	15	1,18
3442400	240	35,76	szt	62	240	106	6,5	15	1,42

WSPORNIK BELKI ALU



Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				C	A	B	≠		
3450900	90	27,08	szt	62	90	109	6	25	0,23
3451200	120	34,53	szt	62	120	109	6	25	0,30
3451600	160	42,71	szt	62	160	109	6	25	0,41
3452000	200	53,29	szt	62	200	109	6	15	0,51
3452400	240	64,05	szt	62	240	109	6	15	0,61

ZŁĄCZE DO BELKI EL



Nr SST	Symbol	Cena netto	jm	WYMIARY				Ilość w opak	Waga szt
				A	B	C	≠		
3480300	EL-30	40,28	szt	30	55	120	10	25	0,12
3480400	EL-40	47,29	szt	40	55	120	10	25	0,16
3480600	EL-60	64,80	szt	60	55	120	10	25	0,24
3480800	EL-80	78,82	szt	80	55	120	10	25	0,32
3481000	EL-100	92,82	szt	100	55	120	10	25	0,40